
CTL 180-16 TS21c

TEREX | COMEDIL

- Gru a torre a braccio impennabile
 Luffing Jib Tower Crane
 Grue à tour à flèche relevable
 - Turmdrehkran mit Steilstellung-Ausleger
 - Grúa torre de pluma abatible



THE **ULTIMATE** CRANE™

Dati illustrativi non impegnativi Con riserva di modifica senza preavviso

Angaben und Beschreibung unverbindlich Änderungen vorbehalten ohne weitere Mitteilung

Specifications and data not binding Subject to modification without notic

Dibuyos y datos sin compromiso Modificationes reservadas sin preaviso Données techniques seulement indicatives Modifications réservées sans préavis

UTE.DOC. REV.000 05_2005



TEREX | COMEDIL

CTL 180-16

Diagramma di portata Load Diagram **O**

Courbes de charges Lastkurven **D**

Curvas de cargas

B

CTL 180-16														
9	Ş	Ŵ		A	m	15	20	25	30	35	40	45	50	55
8 t			- 25.5	m	t	8.00	8.00	8.00	6.33	4.97	3.95	3.15	2.52	2.00
8 t			- 28.6	m	t	8.00	8.00	8.00	7.46	5.90	4.73	3.82	3.10	
	12 t		- 20.5	m	t	12.00	12.00	9.19	7.06	5.54	4.40	3.51	2.80	
8 t			- 29.70	m	t	8.00	8.00	8.00	7.90	6.31	5.12	4.20		
	12 t		- 21.2	m	t	12.00	12.00	9.70	7.53	5.97	4.80	3.90		
8 t			- 29.3	m	t	8.00	8.00	8.00	7.75	6.18	5.00	*	-	
	12 t		- 22.0	m	t	12.00	12.00	10.19	7.97	6.38	5.20			
		16 t	- 17.1	m	t	16.00	13.26	9.96	7.75	6.18	5.00			
8 t			- 29.8	m	t	8.00	8.00	8.00	7.95	6.40	*	-		
	12 t		- 22.2	m	t	12.00	12.00	10.34	8.16	6.60				
		16 t	- 17.2	m	t	16.00	13.37	10.12	7.95	6.40				
8 t			- 30.0	m	t	8.00	8.00	8.00	8.00		_			
	12 t		- 22.9	m	t	12.00	12.00	10.81	8.60					
		16 t	- 17.7	m	t	16.00	13.91	10.60	8.40					

* = + 500 kg [- 25 35 m - 40 m]


Altre installazioni
Other configurations


⊕ GB

Autres implantations Aufstellmöglichkeiten **B D**

Otras implantaciones

ø







	TS 21c R6							
	[m]							
\sim	L ₁₋₂₋₃	L ₄₋₅	L ₆					
A _{min/max}	24/33	24/30	24/27					
B _{min/max}	17.7/23.6	17.7/23.6	17.7/23.6					
C _{max}	30	27	25					
H _{max}	0							

Consultateci Consult us GB Nous consulter F Auf Anfrage D Consultarnos F





TEREX | COMEDIL

CTL 180-16




TS21c





Н	Altezza torre	•
Н	Tower height	Œ
Н	Hauteur mât	Ð
Н	Turmhöhe	D
Н	Altura torre	B



	0, , 0 0 0	100 11171				
•			m/min	t	kW	6
		Ę,	0 ≈ 30	8		560 m (R00) 850 m (R01)
			0 ≈ 39	6		
			0 ≈ 56	4		
			0 ≈ 97	2		
			0 ≈ 110	1.7	45	
			0 ≈ 20	12		
		111	0 ≈ 26	9		
	45 AFC 80 R00 45 AFC 80 R01	<u> </u>	0 ≈ 37	6		
	is Al Coo koi		0 ≈ 64.5	3		
			0 ≈ 73.5	2.55		
		Ģ.	0 ≈ 15	16		
			0 ≈ 19.5	12		
			0 ≈ 28	8		
			0 ≈ 48.5	4		
+84			0 ≈ 55	3.4		
-3		Ģ	0 ≈ 41	8		560 m (R00) 850 m (R01)
			0 ≈ 53	6		
			0 ≈ 76	4		
			0 ≈ 135	2		
			0 ≈ 145	1.85		
			0 ≈ 27.5	12		
	(7.8FC.00	111	0 ≈ 35.5	9	67	
	67 AFC 80 R00 67 AFC 80 R01		0 ≈ 50.5	6		
			0 ≈ 90	3		
			0 ≈ 96.5	2.78		
		<u></u>	0 ≈ 20.5	16		
			0 ≈ 26.5	12		
			0 ≈ 38	8		
			0 ≈ 67.5	4		
			0 ≈ 72.5	3.7		

LFC 45 R00 LFC 45 R01	2 min	45 kW
5 SCC 2 2 100	0 ≈ 0.75 r.p.m.	2 × 7 kW

Q	Sollevamento	Hoisting GB	Levage	Heben D	Elevación 🔳
Ť	Brandeggio	Luffing	Relevage	Ausleger-Einziehen	Elevación de pluma
Ψ	Rotazione	Slewing	Orientation	Schwenken	Orientación
-14	Traslazione	Travelling	Translation	Schienenfahren	Traslación
$\mathbf{\Omega}$	Direttiva sul livello acustico	Directive on noise level	Directive sur le niveau acoustique	Richtlinie für den Schall-Leistungspegel	Directiva sobre el nivel acustico
0	Consultateci	Consult us	Nous consulter	Auf Anfrage	Consultarnos
r el e	Potenza totale richiesta	Power requirements	Puissance totale nécessaire	Geforderte Stromstärke	Potencia necesaria
*	Alimentazione	Power supply	Alimentation	Stromversorgung	Alimentación

Gru Comedil s.r.l.

A **Terex** Company

Via S. Egidio 42/A, 33074 Fontanafredda (PN) - Italy Tel. (+39) 0434 567 311 - Telefax (+39) 0434 998631

Internet e-mail: info@comedil.com
Internet home page: www.comedil.com

Divisione Automontanti

Via Alessandrina, 25 - 20095 Cusano Milanino (MI) - Italy Tel. (+39) 02 613 16011 - Telefax (+39) 02 613 16034 Internet e-mail: info.CBR@comedil.com

Bigge Crane and Rigging Co.

10700 Bigge Avenue
San Leandro, CA 94577
Phone: (888) 337-BIGGE or (510) 638-8100
Fax: (510) 639-4053
Email: towers@bigge.com
Web site: www.biggetowercrane.com