




LC-5211


11,020 lbs.




**C€** DIN 15018 H1 B3


R	R(Cmax)	Cmax	65.6	82.0	98.4	114.8	123.0	131.2	139.4	147.6	155.8	164.0	172.2	ft.
172.2	87.9 ft. 46.6 ft.	5,510 11,020	5,510 7,450	5,510 5,730	4,830 4,580	4,010 3,790	3,700 3,480	3,420 3,200	3,170 2,950	2,950 2,730	2,750 2,530	2,580 2,360	2,420 2,200	lbs.
164.0	101.0 ft. 53.5 ft.	5,510 11,020	5,510 8,730	5,510 6,740	5,510 5,540	4,740 4,520	4,360 4,140	4,060 3,830	3,770 3,550	3,500 3,280	3,280 3,060	3,090 2,860		
155.8	101.4 ft. 53.5 ft.	5,510 11,020	5,510 8,770	5,510 6,790	5,510 5,470	4,760 4,540	4,390 4,170	4,080 3,860	3,790 3,570	3,530 3,310	3,310 3,090			
147.6	106.3 ft. 56.1 ft.	5,510 11,020	5,510 9,260	5,510 7,160	5,510 5,800	5,050 4,830	4,650 4,430	4,320 4,100	4,010 3,790	3,750 3,530				
139.4	110.2 ft. 58.4 ft.	5,510 11,020	5,510 9,650	5,510 7,470	5,510 6,040	5,240 5,020	4,850 4,630	4,500 4,280	4,190 3,970	•				
131.2	112.8 ft.	5,510 11,020	5,510 9,920	5,510 7,690	5,510 6,210	5,400 5,180	4,980 4,760	4,630 4,410	- 7-					
123.0	112.2 ft.	5,510 11,020	5,510 9,850	5,510 7,650	5,510 6,170	5,380 5,160	4,960 4,740	, -						
114.8	114.8 ft.	5,510 11,020	5,510 10,090	5,510 7,850	5,510 6,350	5,510 5,290	,							
98.4	98.4 ft.	5,510 11,020	5,510 10,160	5,510 7,890	5,510 6,390	-,=								

DS.0546.01 12/05 Reserva de modificaciones.- Subject to modifications.- Modifications reservèes.- Konstruktionsänderungen vorbehalten.





 $\triangle$ H=H



VER./CL

A [ft.]

P - 39.4 [lbs.] - 32.8 86,840 - 32.8 85,290 83,750 -39.4

101.3 ft.

 $\oplus$ 

GR-45.1 P11



XR2H ..... 96,650 lbs. XR3H .... 144,620 lbs.

Fuera de servicio R. máx. Hors service Ausser Betrieb

XR2H ..... 89,730 lbs. XR3H .... 101,630 lbs

H=H-0.6 ft.



CS2-1.9


3 hp.

66 ft./min 189 ft./min





**CFU-2.2** 3 hp.

















Tensión de alimentación	480
Operating voltage	3 ph
Tension de service	
Retriehssnannung	60 H

Opcional	
Optional	<b></b>
En option	*
Kaufoption	



Tel.: (34) 948 335 020 Fax: (34) 948 330 810 e-mail: info@comansa.com www.comansa.com

Polígono Urbizkain E-31620 HUARTE-PAMPLONA.- SPAIN

DS.0546.01	12/05	LC-5211	11,020 lbs.